Report on Soil Test



Auburn University Soil Testing Laboratory



Auburn University, AL 36849-5411

Tom Davis

County:Mobile

13600 Tom Gaston Rd

District:3

Mobile, AL 36695

Test Date:08/02/19

					SOIL	RECOMMENDATIONS						
L A B No.	Sample Designation	Crop	S o i I Group*	рН**	Phosphorus	Potassium	Magnesium	Calcium	LIME-STONE	N	P ₂ O ₅	K ₂ O
					P***	K***	Mg***	Ca***				
					Pounds/Acre				Tons/Acre	Pounds/Acre		
17075	Marys yard garden	Vegetables	2	6.5	H 100	H 249	Н 312	H 2173	0.0	120	60	60
	See Comments 1,2,3,4											

Comment No.1: Per 100 square feet apply one pound 13-13-13 at planting and sidedress with 0.14 pounds N (0.42 pounds or 1 cup 33-0-0 or equivalent) and repeat the N application later as a sidedress when the crop is up and growing well. Nitrogen (N) will stimulate green, leafy growth. Excess N could reduce yield of beans, peas, and fruiting crops.

Comment No.2: For strawberries apply about 1/3 of the fertilizer in September, 1/3 about 90 days before ripening and 1/3 after harvest.

Comment No.3: Final remark - For small areas, comments give examples of ways to meet the fertilizer recommendations. Other fertilizer grades or materials that supply equivalent amounts of plant nutrients may be used with equal results. If you need assistance in calculating amounts of other materials to use, contact your county agent or fertilizer supplier. A pint of dry fertilizer is approximately 1 pound.

Comment No.4: For cauliflower, broccoli and root crops on sandy soils apply 1 pound boron (B) per acre. (For home gardens, one tablespoon borax per 100 ft. of row.) For corn in home gardens on sandy soils apply 1 tablespoon zinc sulfate per 100 ft. of row.

The number of samples processed in this report is: 1

For further information call your county agent: (251) 574-8445

If soil group = 1, 2 or 3, Method of Analysis = Mehlich-1. If soil group = 4, Method of Analysis = Miss/Lancaster.

Approved by: Print Date: August 2, 2019 Page 1 of 1

^{* 1.} Sandy soil (CEC < 4.6 cmol_ckg⁻¹)

^{* 3.} Clays and soils high in organic matter (CEC > 9.0 cmol_ckg⁻¹)

^{* 2.} Loams and Light clays (CEC = 4.6-9.0 cmol_ckg⁻¹)

^{* 4.} Clays of the Blackbelt (CEC > 9.0 cmol_ckg⁻¹)

^{***} Extractable nutrients in pounds per acre